




ROWAN

s t u d i o

issue fourteen

ROWAN

s t u d i o

.....is a concept to react to the current fashion trends.

issue fourteen

Cute & Cosy

... Studio 14 features 8 garments that are perfect to layer up over pretty dresses to wrap up in the colder weather. From wasitcoats to jackets in rich brown tones using Kid Classic, Cocoon and Scottish Tweed Aran. . . . and check our website over the coming months for two more FREE designs to knit from this collection!

nestle

knitted using
scottish tweed aran







cosset


knitted using
cocoon





cosy

knitted using
kid classic





kindle

knitted using
cocoon





cosset

knitted using cocoon
by Sarah Hatton
pattern page 41



cosy

knitted using kid classic
by Sarah Hatton
pattern page 30



embrace

knitted using kid classic
by Sarah Hatton
pattern page 48




homely

knitted using cocoon
by Sarah Hatton
pattern page 21



kindle

knitted using cocoon
by Sarah Hatton
pattern page 34



nestle

knitted using scottish tweed aran
by Sarah Hatton
pattern page 44



snug

knitted using kid classic
by Sarah Hatton
pattern page 38



toasty

knitted using kid classic
by Sarah Hatton
pattern page 26



ROWAN
studio

homely

YARN

8	10	12	14	16	18	
To fit bust						
81	86	91	97	102	107	cm
32	34	36	38	40	42	in
Rowan Cocoon						
7	7	7	7	8	8	x 100gm
(photographed in 810 Cairn)						

NEEDLES

1 pair 6mm (no 4) (US 10) needles
1 pair 7mm (no 2) (US 10½) needles
Cable needle

BUTTONS – 1 x BN1374 – 40mm diameter

TENSION

14 sts and 16 rows to 10 cm measured over st st using 7mm (US 10½) needles.

SPECIAL ABBREVIATIONS

C4B = slip next 2 sts onto cable needle and leave at back of work, K2, then K2 from cable needle;

C4F = slip next 2 sts onto cable needle and leave at front of work, K2, then K2 from cable needle.

BACK

Using 7mm (US 10½) needles cast on 63 [65: 67: 73: 77: 81] sts.

Row 1 (WS): K0 [1: 2: 1: 3: 1], (P1, K3) 4 [4: 4: 5: 5: 6] times, inc once purlwise in each of next 2 sts, (K2, P1, K2, inc once purlwise in each of next 6 sts) twice, K2, P1, K2, inc once purlwise in each of next 2 sts, (K3, P1) 4 [4: 4: 5: 5: 6] times, K0 [1: 2: 1: 3: 1]. 79 [81: 83: 89: 93: 97] sts.

Beg and ending rows as indicated and repeating the

12 row patt rep throughout, work in patt from chart for back as folls:

Cont straight until back meas 10 cm, ending with RS facing for next row.

Dec 1 st at each end of next row.

77 [79: 81: 87: 91: 95] sts.

Cont straight until back meas 19 [19: 18: 21:

20: 22] cm, ending with RS facing for next row.

Shape armholes

Keeping patt correct, cast off 3 sts at beg of next 2 rows. 71 [73: 75: 81: 85: 89] sts.

Dec 1 st at each end of next 3 [3: 3: 3: 5: 5] rows, then on foll 1 [1: 1: 3: 2: 3] alt rows.

63 [65: 67: 69: 71: 73] sts.

Cont straight until armhole meas 20 [20: 21: 21:

22: 22] cm, ending with RS facing for next row.

Shape shoulders and back neck

Next row (RS): Cast off 6 [6: 7: 7: 7: 8] sts, patt until there are 10 [11: 11: 12: 12: 12] sts on right needle and turn, leaving rem sts on a holder.

Work each side of neck separately.

Cast off 4 sts at beg of next row.

Cast off rem 6 [7: 7: 8: 8: 8] sts.

With RS facing, rejoin yarn to rem sts, cast off centre 31 [31: 31: 31: 33: 33] sts, patt to end.

Complete to match first side, reversing shapings.

LEFT FRONT

Using 7mm (US 10½) needles cast on 36 [37: 38: 41: 43: 45] sts.

Row 1 (WS): (K1, P1) 3 times, K1, inc once purlwise in each of next 6 sts, K2, P1, K2, inc once purlwise in each of next 2 sts, (K3, P1) 4 [4: 4: 5: 5: 6] times, K0 [1: 2: 1: 3: 1]. 44 [45: 46: 49: 51: 53] sts. Beg and ending rows as indicated and repeating the 12 row patt rep throughout, now work in patt from

A full-body photograph of a woman standing against a plain, light-colored wall. She is wearing a black knit dress with a white geometric pattern at the neckline and hem. The dress has long, sheer sleeves with ruffled cuffs. She is also wearing black boots and has a black headband with a bow in her hair.

embrace

knitted using
kid classic

chart for left front as folls:

Cont straight until left front meas 10 cm, ending with RS facing for next row.

Dec 1 st at beg of next row. 43 [44: 45: 48: 50: 52] sts. Cont straight until left front matches back to beg of armhole shaping, ending with RS facing for next row.

Shape armhole

Keeping patt correct, cast off 3 sts at beg of next row. 40 [41: 42: 45: 47: 49] sts.

Work 1 row.

Dec 1 st at armhole edge of next 3 [3: 3: 3: 5: 5] rows, then on foll 1 [1: 1: 3: 2: 3] alt rows. 36 [37: 38: 39: 40: 41] sts.

Cont straight until 10 [10: 10: 12: 12: 12] rows less have been worked than on back to beg of shoulder shaping, ending with RS facing for next row.

Next row (RS): Patt to last 17 sts, (K2tog) 5 times, patt to end. 31 [32: 33: 34: 35: 36] sts.

Shape neck

Keeping patt correct, cast off 13 [13: 13: 12: 13: 13] sts at beg of next row. 18 [19: 20: 22: 22: 23] sts.

Dec 1 st at neck edge of next 5 rows, then on foll 1 [1: 1: 2: 2: 2] alt rows. 12 [13: 14: 15: 15: 16] sts.

Work 1 row, ending with RS facing for next row.

Shape shoulder

Cast off 6 [6: 7: 7: 7: 8] sts at beg of next row.

Work 1 row.

Cast off rem 6 [7: 7: 8: 8: 8] sts.

RIGHT FRONT

Using 7mm (US 10½) needles cast on 36 [37: 38: 41: 43: 45] sts.

Row 1 (WS): K0 [1: 2: 1: 3: 1], (P1, K3) 4 [4: 4: 5: 5: 6] times, inc once purlwise in each of next 2 sts, K2, P1, K2, inc once purlwise in each of next 6 sts, K1, (P1, K1) 3 times. 44 [45: 46: 49: 51: 53] sts.

Beg and ending rows as indicated and repeating the 12 row patt rep throughout, now work in patt from chart for right front as folls:

Cont straight until right front meas 10 cm, ending with RS facing for next row.

Dec 1 st at end of next row. 43 [44: 45: 48: 50: 52] sts. Cont straight until right front matches back to beg of armhole shaping, ending with WS facing for next row.

Shape armhole

Keeping patt correct, cast off 3 sts at beg of next row. 40 [41: 42: 45: 47: 49] sts.

Dec 1 st at armhole edge of next 3 [3: 3: 3: 5: 5] rows, then on foll 1 [1: 1: 3: 2: 3] alt rows.

36 [37: 38: 39: 40: 41] sts.

Cont straight until 16 [16: 16: 18: 18: 18] rows less have been worked than on back to beg of shoulder shaping, ending with RS facing for next row.

Next row (buttonhole row) (RS): Patt 4 sts, cast off 2 sts (to make a buttonhole – cast on 2 sts over these cast-off sts on next row), patt to end.

Work 3 rows, ending with WS facing for next row.

Next row (WS): Patt 7 sts, (P2tog) 5 times, patt to end. 31 [32: 33: 34: 35: 36] sts.

Complete to match left front, reversing shapings.

SLEEVES

Using 6mm (US 10) needles cast on 31 [31: 33: 33: 35: 35] sts.

Work in g st for 3 rows, ending with WS facing for next row.

Row 4 (WS): K11 [11: 12: 12: 13: 13], inc once in each of next 2 sts, K5, inc once in each of next 2 sts, K to end. 35 [35: 37: 37: 39: 39] sts.

Change to 7mm (US 10½) needles.

Beg and ending rows as indicated and repeating the 12 row patt rep throughout, now work in patt from

chart for sleeves, shaping sides by inc 1 st at each end of 5th and every foll 6th row to 51 sts, then on every foll 8th row until there are 55 [55: 57: 57: 59: 59] sts. Cont straight until sleeve meas 46 [46: 47: 47: 48: 48] cm, ending with RS facing for next row.

Shape top

Keeping patt correct, cast off 3 sts at beg of next 2 rows. 49 [49: 51: 51: 53: 53] sts.

Dec 1 st at each end of next 5 rows, then on every foll alt row until 33 sts rem, then on foll 5 rows, ending with RS facing for next row. 23 sts.

Cast off 4 sts at beg of next 2 rows.

Cast off rem 15 sts.

MAKING UP

Press as described on the information page.

Join both shoulder seams using back stitch, or mattress stitch if preferred.

Collar

With RS facing and using 6mm (US 10) needles, beg and ending 6 sts in from front opening edges, pick up and knit 16 [16: 16: 17: 18: 18] sts up right side of neck, 27 [27: 27: 27: 29: 29] sts from back, then 16 [16: 16: 17: 18: 18] sts down left side of neck. 59 [59: 59: 61: 65: 65] sts.

Row 1 (RS of collar, WS of body): K1, *P1, K1, rep from * to end.

Row 2: K2, *P1, K1, rep from * to last st, K1.

Row 3: As row 1.

Row 4: K1, *inc knitwise in next st, P1, rep from * to last 2 sts, inc knitwise in next st, K1.

88 [88: 88: 91: 97: 97] sts.

Change to 7mm (US 10½) needles.

Row 5: K1, P2, *(K1, yfwd, K1) all into next st, P2, rep from * to last st, K1.

Row 6: K3, *P3tog, K2, rep from * to last st, K1.

Row 7: *K1, P2, rep from * to last st, K1.

Row 8: K3, *P1, K2, rep from * to last st, K1.

Row 9: As row 7.

Row 10: K2, M1, K1, *P1, K1, M1, K1, rep from * to last st, K1. 117 [117: 117: 121: 129: 129] sts.

Row 11: K1, P3, *(K1, yfwd, K1) all into next st, P3, rep from * to last st, K1.

Row 12: K4, *P3tog, K3, rep from * to last st, K1.

Row 13: *K1, P3, rep from * to last st, K1.

Row 14: K4, *P1, K3, rep from * to last st, K1.

Rows 15 and 16: As rows 13 and 14.


Rows 11 to 16 form patt.

Cont in patt until collar meas 16 cm from pick-up row, ending with RS facing for next row.


Cast off in patt.

See information page for finishing instructions, setting in sleeves using the set-in method.



Right Front Chart




Left Front Chart



Sleeve Chart



Back Chart



Key


- = K on RS, P on WS
- ◻ = P on RS, K on WS
- ⊠ = (K1, yfwd, K1) on RS, P3tog on WS
- ⊞ = C4B



12 row patt rep

ROWAN
STUDIO

toasty



YARN

8	10	12	14	16	18	
To fit bust						
81	86	91	97	102	107	cm
32	34	36	38	40	42	in
Rowan Kid Classic						
8	8	9	10	10	10	x 50gm
(photographed in 817 Bear)						

NEEDLES

1 pair 4mm (no 8) (US 6) needles
1 pair 4½mm (no 7) (US 7) needles
Cable needle

BUTTONS – 2 x BN1373

TENSION

22 sts and 28 rows to 10 cm measured over st st using 4½mm (US 7) needles.

SPECIAL ABBREVIATIONS

C6B = slip next 3 sts onto cable needle and leave at back of work, K3, then K3 from cable needle;

C10B = slip next 5 sts onto cable needle and leave at back of work, K5, then K5 from cable needle.

BACK

Using 4½mm (US 7) needles cast on 105 [109: 113: 121: 127: 133] sts.

Row 1 (RS): K1, *P1, K1, rep from * to end.

Rows 2 and 3: P1, *K1, P1, rep from * to end.

Row 4: As row 1.

These 4 rows form patt.

Cont in patt, dec 1 st at each end of 15th and 4 foll 16th rows. 95 [99: 103: 111: 117: 123] sts.

Cont straight until back meas 34 [34: 33: 36:

35: 37] cm, ending with **WS** facing for next row.

Next row (WS): Purl.

Next row: Purl.

Next row: Knit.

Next row: K1 [3: 5: 9: 3: 6], inc once in each of next 3 sts, *K6, inc once in each of next 3 sts, rep from * to last 1 [3: 5: 9: 3: 6] sts, K1 [3: 5: 9: 3: 6].

128 [132: 136: 144: 156: 162] sts.

Now work in cable patt as folls:

Row 1 (WS): K1 [3: 5: 9: 3: 6], P6, *K6, P6, rep from * to last 1 [3: 5: 9: 3: 6] sts, K1 [3: 5: 9: 3: 6].

Row 2: P1 [3: 5: 9: 3: 6], K6, *P6, K6, rep from * to last 1 [3: 5: 9: 3: 6] sts, P1 [3: 5: 9: 3: 6].

Row 3: As row 1.

Row 4: P1 [3: 5: 9: 3: 6], C6B, *P6, C6B, rep from * to last 1 [3: 5: 9: 3: 6] sts, P1 [3: 5: 9: 3: 6].

Rows 5 and 6: As rows 1 and 2.

These 6 rows form cable patt.

Work in cable patt for 1 row more, ending with **RS** facing for next row.

Shape armholes

Keeping patt correct, cast off 4 [5: 5: 6: 6: 7] sts at beg of next 2 rows. 120 [122: 126: 132: 144: 148] sts.

Dec 1 st at each end of next 5 [5: 7: 7: 9: 9] rows, then on foll 4 [4: 3: 4: 7: 7] alt rows.

102 [104: 106: 110: 112: 116] sts.

Cont straight until armhole meas 19 [19: 20: 20: 21: 21] cm, ending with **RS** facing for next row.

Shape shoulders and back neck

Cast off 6 [6: 7: 7: 8] sts at beg of next 2 rows.

90 [92: 92: 96: 98: 100] sts.

Next row (RS): Cast off 6 [6: 7: 7: 8] sts, patt until there are 10 [11: 10: 12: 12: 12] sts on right needle and turn, leaving rem sts on a holder.

Work each side of neck separately.

Cast off 4 sts at beg of next row.

Cast off rem 6 [7: 6: 8: 8: 8] sts.

With RS facing, rejoin yarn to rem sts, cast off centre 58 [58: 58: 58: 60: 60] sts, patt to end.

Complete to match first side, reversing shapings.

LEFT FRONT

Using 4mm (US 7) needles cast on 67 [69: 71: 75: 78: 81] sts.

Row 1 (RS): K1, *P1, K1, rep from * to last 6 [6: 6: 6: 7: 6] sts, P0 [0: 0: 0: 1: 0], (K1, P1) twice, K2.

Row 2: (K1, P1) 3 times, K0 [0: 0: 0: 1: 0], P1, *K1, P1, rep from * to end.

Row 3: P1, *K1, P1, rep from * to last 6 [6: 6: 6: 7: 6] sts, K0 [0: 0: 0: 1: 0], (K1, P1) twice, K2.

Row 4: (K1, P1) 3 times, P0 [0: 0: 0: 1: 0], K1, *P1, K1, rep from * to end.

These 4 rows form patt.

Cont in patt, dec 1 st at beg of 15th and 4 foll 16th rows. 62 [64: 66: 70: 73: 76] sts.

Cont straight until left front meas 34 [34: 33: 36: 35: 37] cm, ending with **WS** facing for next row.

Next row (WS): K1, P to end.

Next row: P to last st, K1.

Next row: Knit.

Next row: K1 [3: 5: 9: 3: 6], inc once in each of next 3 sts, *K6, inc once in each of next 3 sts, rep from * to last 13 sts, K6, inc once in each of next 5 sts, K2. 85 [87: 89: 93: 99: 102] sts.

Now work in cable patt as folls:

Row 1 (WS): K2, P10, *K6, P6, rep from * to last 1 [3: 5: 9: 3: 6] sts, K1 [3: 5: 9: 3: 6].

Shape front slope

Row 2: P1 [3: 5: 9: 3: 6], *K6, P6, rep from * to last

24 sts, K6, P3, P2tog, P1, K10, P1, K1.

Row 3: K2, P10, K1, K2tog, K2, P6, *K6, P6, rep from * to last 1 [3: 5: 9: 3: 6] sts, K1 [3: 5: 9: 3: 6].

Row 4: P1 [3: 5: 9: 3: 6], *C6B, P6, rep from * to last 22 sts, C6B, P1, P2tog, P1, C10B, P1, K1.

Row 5: K2, P10, K1, K2tog, P6, *K6, P6, rep from * to last 1 [3: 5: 9: 3: 6] sts, K1 [3: 5: 9: 3: 6].

Row 6: P1 [3: 5: 9: 3: 6], *K6, P6, rep from * to last 20 sts, K5, P2tog, P1, K10, P1, K1.

These 6 rows set the sts - cable patt with front opening edge 14 sts in larger cable patt - and front slope decs.

Row 7: K2, P10, K1, K2tog, patt to end.

79 [81: 83: 87: 93: 96] sts.

Shape armhole

Row 8 (RS): Cast off 4 [5: 5: 6: 6: 7] sts, patt to last 15 sts, P2tog, P1, K10, P1, K1.

Row 9: K2, P10, K1, K2tog, patt to end.

Row 10: Work 2 tog, patt to last 15 sts, P2tog, P1, K10, P1, K1. 71 [72: 74: 77: 83: 85] sts.

Last 10 rows form larger cable patt for front opening edge.

Keeping sts correct as set and working all front slope decreases as set, dec 1 st at armhole edge of next 4 [4: 6: 6: 8: 8] rows, then on foll 4 [4: 3: 4: 7: 7] alt rows **and at same time** dec 1 st at front slope edge of next 12 [12: 12: 14: 16: 16] rows, then on foll 0 [0: 0: 0: 3: 3] alt rows. 51 [52: 53: 53: 49: 51] sts.

Dec 1 st at front slope edge **only** on next [next: next: 2nd: 2nd] and foll 7 [7: 3: 1: 0: 0] rows, then on foll 11 [11: 15: 15: 12: 12] alt rows.

32 [33: 34: 36: 36: 38] sts.

Cont straight until left front matches back to beg of shoulder shaping, ending with RS facing for next row.

Shape shoulder

Cast off 6 [6: 7: 7: 8] sts at beg of next and foll alt row, then 6 [7: 6: 8: 8] sts at beg of foll alt row. 14 sts. Cont as set on these 14 sts only for a further 11 [11: 11: 11: 11.5: 11.5] cm for back neck border extension, ending with **WS** facing for next row.

Next row (WS): K2, (P2tog) 5 times, K2.

Cast off rem 10 sts.

RIGHT FRONT

Using 4½mm (US 7) needles cast on 67 [69: 71: 75: 78: 81] sts.

Row 1 (RS): K2, (P1, K1) twice, P0 [0: 0: 0: 1: 0], *K1, P1, rep from * to last st, K1.

Row 2: *P1, K1, rep from * to last 7 [7: 7: 7: 8: 7] sts, P1, K0 [0: 0: 0: 1: 0], (P1, K1) 3 times.

Row 3: K2, (P1, K1) twice, K0 [0: 0: 0: 1: 0], *P1, K1, rep from * to last st, P1.

Row 4: *K1, P1, rep from * to last 7 [7: 7: 7: 8: 7] sts, K1, P0 [0: 0: 0: 1: 0], (P1, K1) 3 times.

These 4 rows form patt.

Cont in patt, dec 1 st at end of 15th and 4 foll 16th rows. 62 [64: 66: 70: 73: 76] sts.

Cont straight until right front meas 32 [32: 31: 34: 33: 35] cm, ending with RS facing for next row.

Next row (buttonhole row) (RS): Patt 6 sts, cast off 2 sts (to make first buttonhole – cast on 2 sts over these cast-off sts on next row), patt until there are 13 sts on right needle after cast-off, cast off 2 sts (to make 2nd buttonhole – cast on 2 sts over these cast-off sts on next row), patt to end.

Cont straight until right front meas 34 [34: 33: 36: 35: 37] cm, ending with **WS** facing for next row.

Next row (WS): P to last st, K1.

Next row: K1, P to end.

Next row: Knit.

Next row: K2, inc once in each of next 5 sts, K6, *inc once in each of next 3 sts, K6, rep from * to last 4 [6: 8: 12: 6: 9] sts, inc once in each of next 3 sts, K1 [3: 5: 9: 3: 6]. 85 [87: 89: 93: 99: 102] sts.

Now work in cable patt as folls:

Row 1 (WS): K1 [3: 5: 9: 3: 6], *P6, K6, rep from * to last 12 sts, P10, K2.

Shape front slope

Row 2: K1, P1, K10, P1, P2tog tbl, P3, K6, *P6, K6, rep from * to last 1 [3: 5: 9: 3: 6] sts, P1 [3: 5: 9: 3: 6].

Row 3: K1 [3: 5: 9: 3: 6], *P6, K6, rep from * to last 23 sts, P6, K2, K2tog tbl, K1, P10, K2.

Row 4: K1, P1, C10B, P1, P2tog tbl, P1, C6B, *P6, C6B, rep from * to last 1 [3: 5: 9: 3: 6] sts, P1 [3: 5: 9: 3: 6].

Row 5: K1 [3: 5: 9: 3: 6], *P6, K6, rep from * to last 21 sts, P6, K2tog tbl, K1, P10, K2.

Row 6: K1, P1, K10, P1, P2tog tbl, K5, *P6, K6, rep from * to last 1 [3: 5: 9: 3: 6] sts, P1 [3: 5: 9: 3: 6].

These 6 rows set the sts – cable patt with front opening edge 14 sts in larger cable patt – and front slope decs.

Row 7: Patt to last 15 sts, K2tog tbl, K1, P10, K2. 79 [81: 83: 87: 93: 96] sts.

Shape armhole

Row 8 (RS): K1, P1, K10, P1, P2tog tbl, patt to end.

Row 9: Cast off 4 [5: 5: 6: 6: 7] sts, patt to last 15 sts, K2tog tbl, K1, P10, K2.

Row 10: K1, P1, K10, P1, P2tog tbl, patt to last 2 sts, work 2 tog. 71 [72: 74: 77: 83: 85] sts.

Last 10 rows form larger cable patt for front opening edge.

Keeping sts correct as set and working all front slope decreases as set, complete to match left front, reversing shapings.

SLEEVES

Using 4/5mm (US 7) needles cast on 61 [61: 63: 63: 65: 65] sts.

Beg with row 1, work in patt as given for back, shaping sides by inc 1 st at each end of 5th [5th: 5th: 3rd: 5th: 3rd] and every foll 6th [6th: 6th: 6th: 6th: 4th] row to 73 [81: 79: 85: 87: 71] sts, then on every foll 8th [-: 8th: -: -: 6th] row until there are 79 [-: 83: -: -: 89] sts, taking inc sts into patt.

Cont straight until sleeve meas 26 [26: 27: 27: 28: 28] cm, ending with RS facing for next row.

Shape top

Keeping patt correct, cast off 4 [5: 5: 6: 6: 7] sts at beg of next 2 rows. 71 [71: 73: 73: 75: 75] sts.

Dec 1 st at each end of next 5 rows, then on every foll alt row until 45 sts rem, then on foll 9 rows, ending with RS facing for next row. 27 sts.

Cast off 4 sts at beg of next 2 rows.

Cast off rem 19 sts.

MAKING UP

Press as described on the information page.

Join both shoulder seams using back stitch, or mattress stitch if preferred.

Join cast-off ends of back neck border extensions, then sew one edge to back neck.

See information page for finishing instructions, setting in sleeves using the set-in method.



ROWAN
STUDIO

COSY

YARN

8	10	12	14	16	18	
To fit bust						
81	86	91	97	102	107	cm
32	34	36	38	40	42	in

Rowan Kid Classic

6	6	7	7	8	8 x 50gm
---	---	---	---	---	----------

(photographed in 851 Straw)

NEEDLES

1 pair 4mm (no 8) (US 6) needles
1 pair 4½mm (no 7) (US 7) needles
Cable needle

TENSION

22 sts and 28 rows to 10 cm measured over st st using 4½mm (US 7) needles. Cable panel (57 sts) meas 26 cm.

SPECIAL ABBREVIATIONS

C3B = slip next st onto cable needle and leave at back of work, K2, then K1 from cable needle; **C3F** = slip next 2 sts onto cable needle and leave at front of work, K1, then K2 from cable needle; **Cr3R** = slip next st onto cable needle and leave at back of work, K2, then P1 from cable needle; **Cr3L** = slip next 2 sts onto cable needle and leave at front of work, P1, then K2 from cable needle; **C5B** = slip next 3 sts onto cable needle and leave at back of work, K2, then K3 from cable needle; **C6B** = slip next 3 sts onto cable needle and leave at back of work, K3, then K3 from cable needle; **C6F** = slip next 3 sts onto cable needle and leave at front of work, K3, then K3 from cable needle.



BACK

Using 4mm (US 6) needles cast on 99 [103: 107: 113: 121: 127] sts.

Row 1 (RS): P3 [5: 2: 5: 4: 2], *K2tog, yfwd, K1, P2, rep from * to last 1 [3: 0: 3: 2: 0] sts, P1 [3: 0: 3: 2: 0].

Row 2: K3 [5: 2: 5: 4: 2], *P2tog tbl, yrn, P1, K2, rep from * to last 1 [3: 0: 3: 2: 0] sts, K1 [3: 0: 3: 2: 0]. These 2 rows form fancy rib.

Cont in fancy rib, dec 1 st at each end of 9th and foll 8th row. 95 [99: 103: 109: 117: 123] sts.

Work a further 3 rows, ending with RS facing for next row.

Change to 4½mm (US 7) needles.**

Beg with a K row, work in st st for 4 rows, ending with RS facing for next row.

Row 27 (dec) (RS): K2, sl 1, K1, pssso, K to last 4 sts, K2tog, K2.

Work 8 rows.

Row 35: As row 27. 91 [95: 99: 105: 113: 119] sts.

Work 25 rows, ending with RS facing for next row.

Next row (inc) (RS): K3, M1, K to last 3 sts, M1, K3. 93 [97: 101: 107: 115: 121] sts.

Cont straight until back meas 38 [38: 37: 40: 39: 41] cm, ending with RS facing for next row.

Shape armholes

Cast off 3 [4: 4: 5: 5: 6] sts at beg of next 2 rows. 87 [89: 93: 97: 105: 109] sts.

Dec 1 st at each end of next 3 [3: 5: 5: 7: 7] rows, then on foll 3 [3: 2: 2: 3: 3] alt rows. 75 [77: 79: 83: 85: 89] sts.

Cont straight until armhole meas 18 [18: 20: 20: 21: 21] cm, ending with RS facing for next row.

Shape back neck and shoulders

Next row (RS): K14 [15: 16: 18: 18: 20] and turn, leaving rem sts on a holder.

Work each side of neck separately.

Cast off 4 sts at beg of next row, 3 [3: 4: 5: 5: 6] sts at beg of foll row, then 4 sts at beg of next row.

Cast off rem 3 [4: 4: 5: 5: 6] sts.

With RS facing, rejoin yarn to rem sts, cast off centre 47 [47: 47: 47: 49: 49] sts, K to end.

Complete to match first side, reversing shapings.

FRONT

Work as given for back to **.

Place chart

Next row (RS): K19 [21: 23: 26: 30: 33], work next 57 sts as row 1 of chart, K to end.

Next row: P19 [21: 23: 26: 30: 33], work next 57 sts as row 2 of chart, P to end.

These 2 rows set the sts – centre 57 sts in cable patt from chart with st st at either side.

Cont as set for a further 2 rows, ending with RS facing for next row.

Row 27 (dec) (RS): K2, sl 1, K1, pssso, patt to last 4 sts, K2tog, K2.

Work 8 rows.

Row 35: As row 27. 91 [95: 99: 105: 113: 119] sts.

Work 25 rows, ending with RS facing for next row.

Next row (inc) (RS): K3, M1, patt to last 3 sts, M1, K3. 93 [97: 101: 107: 115: 121] sts.

Cont straight until front matches back to beg of armhole shaping, ending with RS facing for next row.

Shape armholes

Keeping patt correct, cast off 3 [4: 4: 5: 5: 6] sts at beg of next 2 rows. 87 [89: 93: 97: 105: 109] sts.

Dec 1 st at each end of next 3 [3: 5: 5: 7: 7] rows, then on foll 1 [1: 2: 0: 1: 1] alt rows.

79 [81: 79: 87: 89: 93] sts.

Work 1 row, ending with RS facing for next row.

Shape neck

Next row (RS): (K2tog) 1 [1: 0: 1: 1: 1] times, patt 23 [24: 25: 27: 28: 30] sts and turn, leaving rem sts on a holder.

Work each side of neck separately.

Dec 1 st at neck edge of next 10 rows, then on foll 6 [6: 6: 6: 7: 7] alt rows, then on foll 4th row **and at same time** dec 1 [1: 0: 1: 1: 1] st at armhole edge of 2nd row. 6 [7: 8: 10: 10: 12] sts.

Cont straight until front matches back to beg of shoulder shaping, ending with RS facing for next row.

Shape shoulder

Cast off 3 [3: 4: 5: 5: 6] sts at beg of next row.

Work 1 row.

Cast off rem 3 [4: 4: 5: 5: 6] sts.

With RS facing, rejoin yarn to rem sts, cast off centre 29 sts, patt to end.

Complete to match first side, reversing shapings.

SLEEVES

Using 4mm (US 6) needles cast on 57 [57: 59: 59: 61: 61] sts.

Row 1 (RS): K0 [0: 1: 1: 2: 2], P2, *K2tog, yfwd, K1, P2, rep from * to last 0 [0: 1: 1: 2: 2] sts, K0 [0: 1: 1: 2: 2].

Row 2: P0 [0: 1: 1: 2: 2], K2, *P2tog tbl, yrn, P1, K2, rep from * to last 0 [0: 1: 1: 2: 2] sts, P0 [0: 1: 1: 2: 2].

These 2 rows form fancy rib.

Cont in fancy rib, inc 1 st at each end of 3rd [next: 3rd: next: next: next] and every foll 6th [6th: 6th: 4th:



6th; 4th] row to 63 [63: 65: 63: 67: 69] sts, then on every foll - [-: -: 6th: -: -] row until there are - [-: -: 67: -: -] sts, taking inc sts into fancy rib.

Work a further 3 [5: 3: 1: 5: 5] rows, ending with RS facing for next row.

Change to 4mm (US 7) needles.

Beg with a K row, work in st st, shaping sides by inc 1 st at each end of 3rd [next: 3rd: 5th: next: next] and every foll 6th row to 71 [77: 77: 81: 83: 85] sts, then on every foll 8th [-: 8th: -: -: -] row until there are 75 [-: 79: -: -: -] sts.

Cont straight until sleeve meas 26 [26: 27: 27: 28: 28] cm, ending with RS facing for next row.

Shape top

Cast off 3 [4: 4: 5: 5: 6] sts at beg of next 2 rows. 69 [69: 71: 71: 73: 73] sts.

Dec 1 st at each end of next 5 rows, then on every foll alt row until 43 sts rem, then on foll 9 rows, ending with RS facing for next row. 25 sts.

Cast off 5 sts at beg of next 2 rows.

Cast off rem 15 sts.

MAKING UP

Press as described on the information page.

Join right shoulder seam using back stitch, or mattress stitch if preferred.

Neckband

With RS facing and using 4mm (US 6) needles, pick up and knit 37 [37: 37: 37: 39: 39] sts down left side of neck, 29 sts from front, 37 [37: 37: 37: 39: 39] sts up right side of neck, then 64 [64: 64: 64: 65: 65] sts from back. 167 [167: 167: 167: 172: 172] sts.

Row 1 (WS): K2, *P2tog tbl, yrn, P1, K2, rep from * to end.

Row 2: P2, *K2tog, yfwd, K1, P2, rep from * to end. Rep these 2 rows until neckband meas 5 cm, ending with RS facing for next row.

Cast off in patt.


See information page for finishing instructions, setting in sleeves using the set-in method.





Key

- ☐ = K on RS, P on WS
- ☒ = P on RS, K on WS
- ☒ = yfwd
- ☒ = K2tog
- ☒ = sl 1, K1, pssso
- = C3B
- = C3F
- = Cr3R
- = Cr3L
- = C5B
- = C6B
- = C6F



16 row patt rep

ROWAN
studio

kindle

YARN

	8	10	12	14	16	18	
To fit bust							
	81	86	91	97	102	107	cm
	32	34	36	38	40	42	in
Rowan Cocoon							
A Tundra 808							
	7	8	8	8	9	9 x 100gm	
B Crag 809							
	2	2	2	2	2	2 x 100gm	

NEEDLES

1 pair 6mm (no 4) (US 10) needles
1 pair 7mm (no 2) (US 10½) needles
Cable needle

BUTTONS – 1 x BN1374 – 40 mm in diameter.

TENSION

17 sts and 19 rows to 10 cm measured over patt using 7mm (US 10½) needles.

SPECIAL ABBREVIATIONS

C4B = slip next 2 sts onto cable needle and leave at back of work, K2, then K2 from cable needle;

C4F = slip next 2 sts onto cable needle and leave at front of work, K2, then K2 from cable needle.

BACK

Using 6mm (US 10) needles and yarn B cast on 63 [66: 69: 72: 77: 80] sts.

Work in g st for 3 rows, ending with **WS** facing for next row.

Row 4 (WS): K1 [7: 6: 6: 6: 6], M1, (K5 [4: 4: 4: 4: 4], M1) 12 [13: 14: 15: 16: 17] times, K to end. 76 [80: 84: 88: 94: 98] sts.

Break off yarn B and join in yarn A.

Change to 7mm (US 10½) needles.

Begin and ending rows as indicated and repeating the 8 row patt rep throughout, now work in patt from chart as follows:

Cont straight until back meas 16 cm, ending with RS facing for next row.

Dec 1 st at each end of next row.

74 [78: 82: 86: 92: 96] sts.

Cont straight until back meas 33 [33: 32: 35:

34: 36] cm, ending with RS facing for next row.

Shape armholes

Keeping patt correct, cast off 3 sts at beg of next 2 rows. 68 [72: 76: 80: 86: 90] sts.

Dec 1 st at each end of next 3 [3: 5: 5: 7: 7] rows, then on foll 2 [3: 2: 3: 3: 4] alt rows.

58 [60: 62: 64: 66: 68] sts.

Cont straight until armhole meas 20 [20: 21: 21:

22: 22] cm, ending with RS facing for next row.

Shape shoulders and back neck

Next row (RS): Cast off 5 [5: 6: 6: 6: 7] sts, patt until there are 8 [9: 9: 10: 10: 10] sts on right needle and turn, leaving rem sts on a holder.

Work each side of neck separately.

Cast off 3 sts at beg of next row.

Cast off rem 5 [6: 6: 7: 7: 7] sts.

With RS facing, rejoin yarn to rem sts, cast off centre 32 [32: 32: 32: 34: 34] sts, patt to end.

Complete to match first side, reversing shapings.

LEFT FRONT

Using 6mm (US 10) needles and yarn B cast on 39 [41: 43: 45: 47: 49] sts.

Work in g st for 3 rows, ending with **WS** facing for next row.

Row 4 (WS): K10 and slip these sts onto a holder,



M1, K2 [3: 4: 5: 4: 5], M1, (K4, M1) 6 [6: 6: 6: 7: 7] times, K3 [4: 5: 6: 5: 6]. 37 [39: 41: 43: 46: 48] sts.

Break off yarn B and join in yarn A.

Change to 7mm (US 10½) needles.

Beg and ending rows as indicated, now work in patt from chart as folls:

Cont straight until left front meas 16 cm, ending with RS facing for next row.

Dec 1 st at beg of next row. 36 [38: 40: 42: 45: 47] sts.

Cont straight until left front matches back to beg of armhole shaping, ending with RS facing for next row.

Shape armhole

Keeping patt correct, cast off 3 sts at beg of next row.

33 [35: 37: 39: 42: 44] sts.

Work 1 row.

Dec 1 st at armhole edge of next 2 rows, ending with RS facing for next row. 31 [33: 35: 37: 40: 42] sts.

Shape front slope

Keeping patt correct, dec 1 st at armhole edge of next 1 [1: 3: 3: 5: 5] rows, then on foll 2 [3: 2: 3: 3: 4] alt rows **and at same time** dec 1 st at end of next row and at same edge of foll 4 [6: 6: 6: 6: 6] rows, then on foll 0 [0: 0: 1: 2: 3] alt rows.

23 [22: 23: 23: 23: 23] sts.

Dec 1 st at front slope edge **only** on next [next: 2nd: 2nd: 2nd: 2nd] and foll 3 [1: 0: 0: 0: 0] rows, then on foll 9 [9: 10: 9: 9: 8] alt rows. 10 [11: 12: 13: 13: 14] sts. Cont straight until left front matches back to beg of shoulder shaping, ending with RS facing for next row.

Shape shoulder

Cast off 5 [5: 6: 6: 6: 7] sts at beg of next row.

Work 1 row.

Cast off rem 5 [6: 6: 7: 7: 7] sts.

RIGHT FRONT

Using 6mm (US 10) needles and yarn B cast on

39 [41: 43: 45: 47: 49] sts.

Work in g st for 3 rows, ending with **WS** facing for next row.

Row 4 (WS): K3 [4: 5: 6: 5: 6], M1, (K4, M1) 6 [6: 6: 6: 7: 7] times, K2 [3: 4: 5: 4: 5], M1 and turn, leaving rem 10 sts on a holder. 37 [39: 41: 43: 46: 48] sts.

Break off yarn B and join in yarn A.

Change to 7mm (US 10½) needles.

Beg and ending rows as indicated, now work in patt from chart as folls:

Cont straight until right front meas 16 cm, ending with RS facing for next row.

Dec 1 st at end of next row. 36 [38: 40: 42: 45: 47] sts.

Complete to match left front, reversing shapings.

SLEEVES

Using 6mm (US 10) needles and yarn B cast on 31 [31: 33: 33: 35: 35] sts.

Work in g st for 3 rows, ending with **WS** facing for next row.

Row 4 (WS): K3 [3: 4: 4: 5: 5], M1, (K4, M1)

6 times, K to end. 38 [38: 40: 40: 42: 42] sts.

Break off yarn B and join in yarn A.

Change to 7mm (US 10½) needles.

Beg and ending rows as indicated, now work in patt from chart, shaping sides by inc 1 st at each end of 5th and every foll 6th row to 60 sts, then on every foll 8th row until there are 62 [62: 64: 64: 66: 66] sts. Cont straight until sleeve meas 46 [46: 47: 47: 48: 48] cm, ending with RS facing for next row.

Shape top

Keeping patt correct, cast off 3 sts at beg of next 2 rows. 56 [56: 58: 58: 60: 60] sts.

Dec 1 st at each end of next 5 rows, then on every foll alt row until 40 sts rem, then on foll 5 rows,

ending with RS facing for next row. 30 sts.
Cast off 4 sts at beg of next 4 rows.
Cast off rem 14 sts.

MAKING UP

Press as described on the information page.

Join both shoulder seams using back stitch, or mattress stitch if preferred.

Left front band

Slip 10 sts from holder onto 6mm (US 10) needles and rejoin yarn B with RS facing.

Cont in g st until band, when slightly stretched, fits up left front opening edge to beg of front slope shaping, ending with RS facing for next row.

Break yarn and leave sts on a holder.

Right front band

Slip 10 sts from holder onto 6mm (US 10) needles and rejoin yarn B with WS facing.

Cont in g st until band, when slightly stretched, fits up right front opening edge to beg of front slope

shaping, ending with RS facing for next row.

Do NOT break yarn.

Slip stitch bands in place.

Neckband

With RS facing, using 6mm (US 10) needles and yarn B, K 10 sts of right front band, pick up and knit 32 [32: 34: 34: 36: 36] sts up right front slope, 31 [31: 31: 31: 33: 33] sts from back, and 32 [32: 34: 34: 36: 36] sts down left front slope, then K 10 sts of left front band. 115 [115: 119: 119: 125: 125] sts.

Work in g st for 5 rows, ending with RS facing for next row.

Next row (RS): K4, cast off next 2 sts (to make a buttonhole – cast on 2 sts over these cast-off sts on next row), K to end.

Cont in g st for a further 6 rows, ending with WS facing for next row.

Cast off knitwise (on WS).

See information page for finishing instructions, setting in sleeves using the set-in method.






Key

- = K on RS, P on WS
- ◼ = P on RS, K on WS

- ▨ = C4B
- ▧ = C4F



ROWAN
studio

snug



YARN

S	M	L	XL	
To fit bust				
81-86	91-97	102-107	112-117	cm
32-34	36-38	40-42	44-46	in
Rowan Kid Classic				
8	9	10	10	x 50gm
(photographed in 851 Straw)				

NEEDLES

1 pair 4mm (no 8) (US 6) needles
1 pair 4½mm (no 7) (US 7) needles
4mm (no 8) (US 6) circular needle
Cable needle

TENSION

22 sts and 28 rows to 10 cm measured over st st using 4½mm (US 7) needles.

SPECIAL ABBREVIATIONS

C4B = slip next 2 sts onto cable needle and leave at back of work, K2, then K2 from cable needle; **C4F** = slip next 2 sts onto cable needle and leave at front of work, K2, then K2 from cable needle; **C9F** = slip next 4 sts onto cable needle and leave at front of work, K4, P1, then K4 from cable needle; **Cr12R** = slip next 8 sts onto cable needle and leave at back of work, K4, slip last 4 sts from cable needle (the centre 4 sts of original group of 12 sts) back onto left needle and K these 4 sts, then K4 from cable needle; **Cr12L** = slip next 8 sts onto cable needle and leave at front of work, K4, slip last 4 sts from cable needle (the centre 4 sts of original group of 12 sts) back onto left needle and K these 4 sts, then K4 from cable needle.

PATTERN NOTE: The number of sts varies whilst working the cable. All st counts given assume that there are 44sts in cable at all times. When working shaping through cable sts, ensure extra sts are decreased (or cast off) to balance the extra sts that have been increased.

BACK

Using 4½mm (US 7) needles cast on 102 [114: 126: 142] sts.

Row 1 (RS): K2, *P2, K2, rep from * to end.

Row 2: P2, *K2, P2, rep from * to end.

These 2 rows form rib.

Work in rib for a further 24 rows, inc [inc: inc: dec] 1 st at centre of last row and ending with RS facing for next row. 103 [115: 127: 141] sts.

Beg with a K row, cont in st st until back meas 72 [74: 76: 78] cm, ending with RS facing for next row.

Shape shoulders and back neck

Next row (RS): Cast off 8 [10: 11: 14] sts, K until there are 23 [27: 31: 35] sts on right needle and turn, leaving rem sts on a holder.

Work each side of neck separately.

Cast off 4 sts at beg of next row, 8 [10: 11: 14] sts at beg of foll row, then 4 sts at beg of next row.

Cast off rem 7 [9: 12: 13] sts.

With RS facing, rejoin yarn to rem sts, cast off centre 41 [41: 43: 43] sts, K to end.

Complete to match first side, reversing shapings.

FRONT

Using 4½mm (US 7) needles cast on 102 [114: 126: 142] sts.

Work in rib as given for back for 25 rows, ending with **WS** facing for next row.

Row 26 (WS): (Work 2 tog) 0 [0: 0: 1] times, rib 37 [43: 49: 55], M1, rib 5, M1, rib 2, M1, rib 5, (M1, rib 2) twice, M1, rib 5, M1, rib 2, M1, rib 5, M1, rib to last 0 [0: 0: 2] sts, (work 2 tog) 0 [0: 0: 1] times. 111 [123: 135: 149] sts.

Now work in patt as folls:

Row 1 (RS): K35 [41: 47: 54], P4, K4, (P2, K4) twice, P1, (K4, P2) twice, K4, P4, K to end.

Row 2: P35 [41: 47: 54], K4, P4, (K2, P4) twice, K1, (P4, K2) twice, P4, K4, P to end.

Row 3: K35 [41: 47: 54], P4, K4, P2, C4F, P2, K4, P1, K4, P2, C4B, P2, K4, P4, K to end.

Row 4: As row 2.

Rows 5 and 6: As rows 1 and 2.

Row 7: K35 [41: 47: 54], P4, K4, P2, C4F, P2, C9F, P2, C4B, P2, K4, P4, K to end.

Row 8: As row 2.

Row 9: K35 [41: 47: 54], P4, M1P, (K4, P2) twice, K4, M1P, P1, M1P, (K4, P2) twice, K4, M1P, P4, K to end.

Row 10: P35 [41: 47: 54], K5, (P4, K2) twice, P4, K3, P4, (K2, P4) twice, K5, P to end.

Row 11: K35 [41: 47: 54], P5, M1P, K4, P2tog, C4F, P2tog, K4, M1P, P3, M1P, K4, P2tog, C4B, P2tog, K4, M1P, P5, K to end.

Row 12: P35 [41: 47: 54], K6, (P4, K1) twice, P4, K5, P4, (K1, P4) twice, K6, P to end.

Row 13: K35 [41: 47: 54], P6, M1P, K3, sl 1, K1, psso, K4, K2tog, K3, M1P, P5, M1P, K3, sl 1, K1, psso, K4, K2tog, K3, M1P, P6, K to end.

Row 14: P35 [41: 47: 54], (K7, P12) twice, K7, P to end.

Row 15: K35 [41: 47: 54], P7, M1P, K4, C4F, K4, M1P, P7, M1P, K4, C4B, K4, M1P, P7, K to end.

Row 16: P35 [41: 47: 54], K8, P12, K9, P12, K8, P to end.

Row 17: K35 [41: 47: 54], P8, Cr12R, P9, Cr12L, P8, K to end.

Row 18: As row 16.

Row 19: K35 [41: 47: 54], P6, P2tog, K4, C4F, K4, P2tog, P5, P2tog, K4, C4B, K4, P2tog, P6, K to end.

Row 20: As row 14.

Row 21: K35 [41: 47: 54], P5, P2tog, (K4, M1P) twice, K4, P2tog, P3, P2tog, (K4, M1P) twice, K4, P2tog, P5, K to end.

Row 22: As row 12.

Row 23: K35 [41: 47: 54], P4, P2tog, K4, M1P, P1, C4F, P1, M1P, K4, P2tog, P1, P2tog, K4, M1P, P1, C4B, P1, M1P, K4, P2tog, P4, K to end.

Row 24: As row 10.

Row 25: K35 [41: 47: 54], P3, P2tog, (K4, P2) twice, K4, P3tog, (K4, P2) twice, K4, P2tog, P3, K to end.

Row 26: As row 2.

Row 27: As row 7.

Row 28: As row 2.

These 28 rows form patt.

(Note: Number of sts varies whilst working cable patt. All st counts given assume there are 41 sts in cable panel at all times.)

Cont in patt until front meas 44 [45: 46: 47] cm, ending with RS facing for next row.

Divide for neck

Next row (RS): K35 [41: 47: 54], P4 and turn, leaving rem sts on a holder.

Work each side of neck separately.

Keeping patt correct, dec 1 st at neck edge of 4th and 9 [8: 9: 8] foll 4th rows, then on 6 [7: 7: 8] foll 6th rows. 23 [29: 34: 41] sts.

Cont straight until front matches back to beg of shoulder shaping, ending with RS facing for next row.

Shape shoulder

Cast off 8 [10: 11: 14] sts at beg of next and foll alt row.
Work 1 row.

Cast off rem 7 [9: 12: 13] sts.

With RS facing, rejoin yarn to rem sts, cast off centre sts (decreasing to 33 sts if required) to last 39 [45: 51: 58] sts, patt to end.

Complete to match first side, reversing shapings.

MAKING UP

Press as described on the information page.

Join both shoulder seams using back stitch, or mattress stitch if preferred.

Collar

With RS facing and using 4mm (US 6) circular needle, beg and ending at each end of centre front cast-off sts, pick up and knit 84 [86: 90: 92] sts up right side of neck, 56 [56: 60: 60] sts from back, then 84 [86: 90: 92] sts down left side of neck. 224 [228: 240: 244] sts.

Row 1 (WS): K1, P2, *K2, P2, rep from * to last st, K1.

Row 2: K3, *P2, K2, rep from * to last st, K1.

These 2 rows form rib.

Work in rib for 1 row more, ending with RS facing for next row.

Row 4: Rib 140 [142: 150: 152], wrap next st (by slipping next st from left needle to right needle, taking yarn to opposite side of work between needles and then slipping same st back onto left needle – when working back across wrapped sts, work the wrapped st and the wrapping loop tog as one st) and turn.

Row 5: Rib 56 [56: 60: 60], wrap next st and turn.

Row 6: Rib 64 [64: 68: 68], wrap next st and turn.

Row 7: Rib 72 [72: 76: 76], wrap next st and turn.

Row 8: Rib 80 [80: 84: 84], wrap next st and turn.

Row 9: Rib 88 [88: 92: 92], wrap next st and turn.

Cont in this way, working 8 more sts on every row before wrapping next st and turning, until the foll row has been worked:

Row 21 (WS): Rib 184 [184: 188: 188], wrap next st and turn.

Row 22: Rib to end.

Cont in rib across all sts until row-end edges meas 12 cm, ending with RS facing for next row.

Cast off loosely in rib.

Lay right front end of collar over left front end and neatly sew row-end edges of collar to cast-off sts at base of opening.

Armhole borders (both alike)


Mark points along side seam edges 21 [22: 23: 24] cm either side of shoulder seams.

With RS facing and using 4mm (US 6) needles, pick up and knit 94 [98: 102: 106] sts evenly along armhole edge between markers.

Beg with row 2, work in rib as given for back for 9 rows, ending with RS facing for next row.

Cast off in rib.

See information page for finishing instructions.





ROWAN
STUDIO

cosset

YARN

	8	10	12	14	16	18	
To fit bust							
	81	86	91	97	102	107	cm
	32	34	36	38	40	42	in
Rowan Cocoon							
	8	8	9	9	9	10	x 100gm
(photographed in 807 Tarn)							

NEEDLES

1 pair 6 ½mm (no 3) (US 10½) needles
1 pair 7mm (no 2) (US 10½) needles

BUTTONS – 2 x BN1374 – 40mm diameter

TENSION

14 sts and 16 rows to 10 cm measured over st st using 7mm (US 10½) needles.

SPECIAL ABBREVIATIONS

K1 below = K into next st 1 row below at same time slipping off st above.

BACK

Using 6½mm (US 10½) needles cast on 65 [67: 71: 75: 79: 83] sts.

Row 1 (RS): sl 1, *P1, K1, rep from * to end.

Row 2: sl 1, *K1 below, P1, rep from * to end. These 2 rows form beaded rib.

Cont in beaded rib for a further 20 rows, dec 1 st at end of last row and ending with RS facing for next row. 64 [66: 70: 74: 78: 82] sts.

Change to 7mm (US 10½) needles.

Beg with a K row, work in st st until back meas 19 cm, ending with RS facing for next row.

Dec 1 st at each end of next row.

62 [64: 68: 72: 76: 80] sts.

Cont straight until back meas 37 [37: 36: 39:

38: 40] cm, ending with RS facing for next row.

Shape armholes

Cast off 3 sts at beg of next 2 rows.

56 [58: 62: 66: 70: 74] sts.

Dec 1 st at each end of next 3 [3: 5: 5: 7: 7] rows, then on foll 1 [1: 1: 2: 1: 2] alt rows.

48 [50: 50: 52: 54: 56] sts.

Cont straight until armhole meas 20 [20: 21: 21:

22: 22] cm, ending with RS facing for next row.

Shape shoulders and back neck

Next row (RS): Cast off 5 [6: 6: 6: 6: 7] sts, K until there are 9 [9: 9: 10: 10: 10] sts on right needle and turn, leaving rem sts on a holder.

Work each side of neck separately.

Cast off 3 sts at beg of next row.

Cast off rem 6 [6: 6: 7: 7: 7] sts.

With RS facing, rejoin yarn to rem sts, cast off centre 20 [20: 20: 20: 22: 22] sts, K to end.

Complete to match first side, reversing shapings.

LEFT FRONT

Using 6½mm (US 10½) needles cast on 43 [43: 45: 47: 49: 51] sts.


Work in beaded rib as given for back for 21 rows, ending with WS facing for next row.

Row 22 (WS): Patt 11 sts and slip these sts onto a holder, M1, patt to last 2 [0: 0: 0: 0: 0] sts, (work 2 tog) 1 [0: 0: 0: 0: 0] times. 32 [33: 35: 37: 39: 41] sts. Change to 7mm (US 10½) needles.

Beg with a K row, work in st st until left front meas 19 cm, ending with RS facing for next row.

Dec 1 st at beg of next row. 31 [32: 34: 36: 38: 40] sts.

Cont straight until left front matches back to beg of armhole shaping, ending with RS facing for next row.



Shape armhole

Cast off 3 sts at beg of next row.

28 [29: 31: 33: 35: 37] sts.

Work 1 row.

Dec 1 st at armhole edge of next 3 [3: 5: 5: 7: 7] rows, then on foll 1 [1: 1: 2: 1: 2] alt rows. 24 [25: 25: 26: 27: 28] sts.

Cont straight until 9 [9: 9: 11: 11: 11] rows less have been worked than on back to beg of shoulder shaping, ending with **WS** facing for next row.

Shape neck

Cast off 7 [7: 7: 6: 7: 7] sts at beg of next row.

17 [18: 18: 20: 20: 21] sts.

Dec 1 st at neck edge of next 5 rows, then on foll 1 [1: 1: 2: 2: 2] alt rows. 11 [12: 12: 13: 13: 14] sts.

Work 1 row, ending with **RS** facing for next row.

Shape shoulder

Cast off 5 [6: 6: 6: 6: 7] sts at beg of next row.

Work 1 row.

Cast off rem 6 [6: 6: 7: 7: 7] sts.

RIGHT FRONT

Using 6½mm (US 10½) needles cast on 43 [43: 45: 47: 49: 51] sts.

Work in beaded rib as given for back for 21 rows, ending with **WS** facing for next row.

Row 22 (WS): (Work 2 tog) 1 [0: 0: 0: 0: 0] times, patt to last 11 sts, M1 and turn, leaving last 11 sts on a holder. 32 [33: 35: 37: 39: 41] sts.

Change to 7mm (US 10½) needles.

Beg with a K row, work in st st until right front meas 19 cm, ending with **RS** facing for next row.

Dec 1 st at end of next row. 31 [32: 34: 36: 38: 40] sts.

Complete to match left front, reversing shapings.

SLEEVES

Cuff

Using 6½mm (US 10½) needles cast on 9 sts.

Work in beaded rib as given for back until cuff meas 22 [22: 23: 23: 24: 24] cm, ending with **RS** facing for next row.

Cast off in patt.

Main section

With **RS** facing and using 7mm (US 10½) needles, pick up and knit 31 [31: 33: 33: 35: 35] sts evenly along one row-end edge of cuff.

Beg with a P row, work in st st, shaping sides by inc 1 st at each end of 2nd [2nd: 4th: 4th: 4th: 4th] and every foll 6th row until there are 51 [51: 53: 53: 55: 55] sts.

Cont straight until sleeve meas 46 [46: 47: 47:

48: 48] cm from free row-end edge of cuff, ending with **RS** facing for next row.

Shape top

Cast off 3 sts at beg of next 2 rows. 45 [45: 47: 47: 49: 49] sts.

Dec 1 st at each end of next 5 rows, then on every foll alt row until 27 sts rem, then on foll 3 rows, ending with **RS** facing for next row. 21 sts.

Cast off 4 sts at beg of next 2 rows.

Cast off rem 13 sts.

MAKING UP

Press as described on the information page.

Join both shoulder seams using back stitch, or mattress stitch if preferred.

Left front band

Slip 11 sts from holder onto 6½mm (US 10½) needles and rejoin yarn with **RS** facing.

Cont in patt as set until band, when slightly

stretched, fits up left front opening edge to beg of neck shaping, ending with RS facing for next row. Cast off in patt.

Right front band

Slip 11 sts from holder onto 6mm (US 10½) needles and rejoin yarn with **WS** facing.

Cont in patt as set until band, when slightly stretched, fits up right front opening edge to a point 4 cm below beg of front slope shaping, ending with RS facing for next row.

Next row (RS): Patt 4 sts, cast off next 3 sts (to make a buttonhole – cast on 3 sts over these cast-off sts on next row), patt to end.

Cont in patt until band, when slightly stretched, fits up rest of right front opening edge to beg of neck shaping, ending with RS facing for next row.

Cast off in patt.

Slip stitch bands in place.

Collar

Using 6mm (US 10½) needles cast on 13 sts.

Work in beaded rib as given for back until collar fits neatly around neck edge, beg and ending at front band seams and ending with RS facing for next row. Place marker at end of last row.

Work a further 10 rows, ending with RS facing for next row.

Next row (RS): Patt 5 sts, cast off next 3 sts (to make a buttonhole – cast on 3 sts over these cast-off sts on next row), patt to end.

Cont in patt for a further 11 rows, ending with RS facing for next row.

Cast off in patt.

Matching marker to top of right front band seam and cast-on edge to top of left front band seam, neatly slip stitch collar in place to neck edge.

See information page for finishing instructions, setting in sleeves using the set-in method. Attach first large button to left front end of collar to correspond with buttonhole in opposite end of collar so that, when fronts are overlapped band seams meet at centre front. Sew 2nd large button to left front to correspond with buttonhole in right front band, placing this button approx 6 cm below neck edge. On inside, make a button loop along free row-end edge of left front band near cast-off edge and attach small button to neck seam to correspond.

Pocket

Using 6mm (US 10½) needles cast on 17 sts.

Work in beaded rib as given for back for 30 rows, ending with RS facing for next row.

Dec 1 st at each end of next and 3 foll 3rd rows, 9 sts.

Work 2 rows, ending with RS facing for next row.

Cast off in patt.

Using photograph as a guide, sew pocket to right front.



ROWAN
STUDIO

nestle

YARN

	S	M	L	XL	
To fit bust	81-86	91-97	102-107	112-117	cm
	32-34	36-38	40-42	44-46	in

Rowan Scottish Tweed Aran

6 7 8 9 x 100gm
(photographed in 025 Oatmeal)

NEEDLES

1 pair 5mm (no 6) (US 8) needles
1 pair 5½mm (no 5) (US 9) needles

BUTTONS – 4 x BN1212 – 22mm diameter.

TENSION

16 sts and 23 rows to 10 cm measured over st st using
5 1/2mm (US 9) needles.

BACK

Using 5mm (US 8) needles cast on 74 [82: 92: 102] sts.
Work in g st for 4 rows, ending with RS facing for
next row.

Change to 5½mm (US 9) needles.

Beg with a K row, work in st st until back meas 21
cm, ending with RS facing for next row.

Dec 1 st at each end of next row. 72 [80: 90: 100] sts.
Cont straight until back meas 37 [38: 39: 40] cm,
ending with RS facing for next row.

Shape armholes

Cast off 3 [4: 5: 6] sts at beg of next 2 rows.
66 [72: 80: 88] sts.

Dec 1 st at each end of next 3 [3: 5: 5] rows, then on
foll 2 [3: 3: 5] alt rows. 56 [60: 64: 68] sts.

Cont straight until armhole meas 19 [20: 21: 22] cm,

ending with RS facing for next row.

Shape shoulders and back neck

Cast off 4 [5: 5: 6] sts at beg of next 2 rows.
48 [50: 54: 56] sts.

Next row (RS): Cast off 4 [5: 5: 6] sts, K until there
are 8 [8: 9: 9] sts on right needle and turn, leaving
rem sts on a holder.

Work each side of neck separately.

Cast off 3 sts at beg of next row.

Cast off rem 5 [5: 6: 6] sts.

With RS facing, rejoin yarn to rem sts, cast off centre
24 [24: 26: 26] sts, K to end.

Complete to match first side, reversing shapings.

LEFT FRONT

Using 5mm (US 8) needles cast on 48 [52: 57: 62] sts.
Work in g st for 3 rows, ending with **WS** facing for
next row.

Row 4 (WS): K21 and slip these sts onto a holder,
M1, K to end. 28 [32: 37: 42] sts.

Change to 5½mm (US 9) needles.

Beg with a K row, work in st st for 12 rows, ending
with RS facing for next row.

Place pocket

Next row (RS): K8 [10: 11: 12] and turn, leaving
rem 20 [22: 26: 30] sts on a 2nd holder.

Next row: Cast on and P 19 [21: 25: 25] sts (for
pocket lining), P to end. 27 [31: 36: 37] sts.

Work 26 rows on these sts, ending with RS facing
for next row.

Next row (RS): K8 [10: 11: 12], cast off rem 19 [21:
25: 25] sts.

Break yarn and leave sts on a 3rd holder.

With RS facing, rejoin yarn to 20 [22: 26: 30] sts left
on 2nd holder and work 27 rows, ending with **WS**



facing for next row.

Join sections

Next row (WS): P20 [22: 26: 30], then P across 8 [10: 11: 12] sts on 3rd holder. 28 [32: 37: 42] sts.

Cont straight until left front meas 21 cm, ending with RS facing for next row.

Dec 1 st at beg of next row. 27 [31: 36: 41] sts.

Cont straight until left front matches back to beg of armhole shaping, ending with RS facing for next row.

Shape armhole

Cast off 3 [4: 5: 6] sts at beg of next row.

24 [27: 31: 35] sts.

Work 1 row.

Dec 1 st at armhole edge of next 3 [3: 5: 5] rows, then on foll 2 [3: 3: 5] alt rows. 19 [21: 23: 25] sts.

Cont straight until 20 [20: 22: 22] rows less have been worked than on back to beg of shoulder shaping, ending with RS facing for next row.

Shape neck

Place marker at beg of last row to denote beg of neck shaping.

Dec 1 st at end (marked edge) of next and foll 4 [4: 5: 5] alt rows, then on foll 4th row. 13 [15: 16: 18] sts.

Work 1 row, ending with RS facing for next row.

Shape shoulder

Cast off 4 [5: 5: 6] sts at beg of next and foll alt row.

Work 1 row.

Cast off rem 5 [5: 6: 6] sts.

RIGHT FRONT

Using 5mm (US 8) needles cast on 48 [52: 57: 62] sts. Work in g st for 3 rows, ending with **WS** facing for next row.

Row 4 (WS): K to last 21 sts, M1 and turn, leaving last 21 sts on a holder. 28 [32: 37: 42] sts.

Change to 5½mm (US 9) needles.

Beg with a K row, work in st st for 12 rows, ending with RS facing for next row.

Place pocket

Next row (RS): K20 [22: 26: 30] and turn, leaving rem 8 [10: 11: 12] sts on a 2nd holder.

Work a further 26 rows on these sts, ending with **WS** facing for next row.

Break yarn and leave sts on a 3rd holder.

With RS facing, rejoin yarn to 8 [10: 11: 12] sts left on 2nd holder and proceed as folls:

Next row (RS): Cast on and K 19 [21: 25: 25] sts (for pocket lining), K to end. 27 [31: 36: 37] sts.

Work 25 rows on these sts, ending with RS facing for next row.

Next row (RS): Cast off 19 [21: 25: 25] sts, K to end. 8 [10: 11: 12].

Join sections

Next row (WS): P8 [10: 11: 12], then P across 20 [22: 26: 30] sts on 3rd holder. 28 [32: 37: 42] sts.

Cont straight until right front meas 21 cm, ending with RS facing for next row.

Dec 1 st at end of next row. 27 [31: 36: 41] sts.

Complete to match left front, reversing shapings.

SLEEVES

Using 5mm (US 8) needles cast on 37 [39: 41: 41] sts. Work in g st for 4 rows, ending with RS facing for next row.

Change to 5½mm (US 9) needles.

Now work in diamond patt as folls:

Row 1 (RS): K2 [3: 0: 0], *P1, K3, rep from * to last 3 [0: 1: 1] sts, P1 [0: 1: 1], K2 [0: 0: 0].

Row 2: K0 [1: 0: 0], *P1, K1, rep from * to last 1 [0: 1: 1] st, P1 [0: 1: 1].

Row 3: K0 [1: 2: 2], P1, *K3, P1, rep from * to last 0 [1: 2: 2] sts, K0 [1: 2: 2].

Row 4: As row 2.

These 4 rows form diamond patt.

Work in diamond patt for a further 13 rows, ending after patt row 1 and with **WS** facing for next row.

Beg with a P row, work in st st, shaping sides by inc 1 st at each end of 6th [6th: 6th: 4th] and every foll 8th [6th: 6th: 6th] row to 57 [47: 55: 69] sts, then on every foll – [8th: 8th: –] row until there are – [61: 65: –] sts.

Cont straight until sleeve meas 46 [47: 48: 48] cm, ending with RS facing for next row.

Shape top

Cast off 3 [4: 5: 6] sts at beg of next 2 rows. 51 [53: 55: 57] sts.

Dec 1 st at each end of next 3 rows, then on every foll alt row until 31 sts rem, then on foll 5 rows, ending with RS facing for next row. 21 sts.

Cast off 4 sts at beg of next 2 rows.

Cast off rem 13 sts.

HOOD

Using 5mm (US 8) needles cast on 122 [122: 124: 124] sts.

Work in g st for 4 rows, ending with RS facing for next row.

Change to 5½mm (US 9) needles.

Beg with a K row, dec 1 st at each end of 3rd and 3 foll 4th rows. 114 [114: 116: 116] sts.

Cont straight until hood meas 21 [21: 22: 22] cm, ending with RS facing for next row.

Cast off 9 sts at beg of next 8 rows. 42 [42: 44: 44] sts.

Dec 1 st at each end of 7th and 5 foll 8th rows. 30 [30: 32: 32] sts.

Work 3 rows, ending with RS facing for next row. Cast off.

MAKING UP

Press as described on the information page.

Join both shoulder seams using back stitch, or mattress stitch if preferred.

Button band

Slip 21 sts from left front holder onto 5mm (US 8) needles and rejoin yarn with RS facing.

Row 1 (RS): K4, (P1, K3) 4 times, K1.

Row 2: K2, (P1, K1) 9 times, K1.

Row 3: K2, (P1, K3) 4 times, P1, K2.

Row 4: As row 2.

These 4 rows form patt.

Cont in patt until button band, when slightly stretched, fits up left front opening edge to marker, ending with RS facing for next row.

Cast off in patt.

Right front band

Slip 21 sts from holder onto 5mm (US 8) needles and rejoin yarn with **WS** facing.

Next row (WS): Knit.

Beg with patt row 1, cont in patt as given for button band until this band, when slightly stretched, fits up right front opening edge to a point 10 cm below neck shaping, ending with RS facing for next row.

Next row (buttonhole row) (RS): Patt 3 sts, cast off next 2 sts (to make first buttonhole of first pair – cast on 2 sts over these cast-off sts on next row), patt until there are 11 sts on right needle after cast-off, cast off next 2 sts (to make 2nd buttonhole of first pair – cast on 2 sts over these cast-off sts on next row), patt to end.

Cont in patt until this band, when slightly stretched,

ext row.

titch, or

a (US 8)

slightly
marker,

needles

r button
d, fits up
n below
xt row.
sts, cast
st pair –
ow), patt
cast-off,
e of first
on next

retched,

fits up right front opening edge to a point 2.5 cm below neck shaping, ending with RS facing for next row.

Now rep buttonhole row again (to make 2nd pair of buttonholes).

Cont in patt until band, when slightly stretched, fits up rest of right front opening edge, ending with RS facing for next row.

Cast off in patt.

Slip st bands in place. Sew back seams of hood by joining shaped cast-off edges to shaped row-end edge of last centre section. Placing ends of cast-on

edges of hood 8 cm in from front opening edges, sew shaped row-end edge of first section of hood and final cast-off edge to neck edge.


Pocket borders (both alike)

With RS facing and using 5mm (US 8) needles, pick up and knit 19 sts along row-end edge of pocket opening.

Work in g st for 4 rows, ending with **WS** facing for next row.

Cast off knitwise (on **WS**).

See information page for finishing instructions, setting in sleeves using the set-in method.



ROWAN
STUDIO

embrace



YARN

	S	M	L	XL	
To fit bust					
	81-86	91-97	102-107	112-117	cm
	32-34	36-38	40-42	44-46	in

Rowan Kid Classic

A Peat 832	6	7	8	9	x 50gm
B Feather 828	1	1	1	1	x 50gm
C Straw 851	1	1	1	1	x 50gm

NEEDLES

1 pair 4mm (no 8) (US 6) needles
1 pair 4½mm (no 7) (US 7) needles

TENSION

22 sts and 28 rows to 10 cm measured over st st using 4½mm (US 7) needles.

BACK

Using 4½mm (US 7) needles and yarn A cast on 101 [113: 125: 139] sts.

Row 1 (RS): K2 [0: 0: 1], P2 [0: 1: 2], *K3, P2, rep from * to last 2 [3: 4: 1] sts, K2 [3: 3: 1], P0 [0: 1: 0].

Row 2: P2 [0: 0: 1], K2 [0: 1: 2], *P3, K2, rep from * to last 2 [3: 4: 1] sts, P2 [3: 3: 1], K0 [0: 1: 0].

These 2 rows form rib.

Cont in rib for a further 26 rows, ending with RS facing for next row.

Beg with a K row, work in st st for 2 rows, ending with RS facing for next row.

Beg and ending rows as indicated and using the **fairisle** technique as described on the information

page, now work 12 rows in patt from chart for border, which is worked entirely in st st beg with a K row, ending with RS facing for next row.

Beg with a K row, now cont in st st using yarn A only as folls:

Cont straight until back meas 47 [48: 49: 50] cm, ending with RS facing for next row.

Shape for cap sleeves

Inc 1 st at each end of next and foll 4th row, then on foll alt row, then on 2 foll rows, ending with **WS** facing for next row. 111 [123: 135: 149] sts.

Place markers at both ends of last row to denote base of armholes.

Work 13 rows, ending with RS facing for next row.

Beg and ending rows as indicated, using the **fairisle** technique as described on the information page and repeating the 26 row patt repeat throughout, now work in patt from chart for yoke, which is worked entirely in st st beg with a K row, as folls:

Cont straight until armhole meas 22 [23: 24: 25] cm from markers, ending with RS facing for next row.

Shape shoulders and back neck

Next row (RS): Cast off 9 [11: 13: 15] sts, patt until there are 25 [29: 32: 37] sts on right needle and turn, leaving rem sts on a holder.

Work each side of neck separately.

Cast off 3 sts at beg of next row, 9 [11: 13: 15] sts at beg of foll row, then 3 sts at beg of next row.

Cast off rem 10 [12: 13: 16] sts.

With RS facing, rejoin yarns to rem sts, cast off centre 43 [43: 45: 45] sts, patt to end.

Complete to match first side, reversing shapings.

FRONT

Work as given for back until 20 [20: 22: 22] rows less

have been worked than on back to beg of shoulder shaping, ending with RS facing for next row.

Shape neck

Next row (RS): Patt 38 [44: 50: 57] sts and turn, leaving rem sts on a holder.


Work each side of neck separately.

Keeping patt correct, dec 1 st at neck edge of next 6 rows, then on foll 3 [3: 4: 4] alt rows, then on foll 4th row. 28 [34: 39: 46] sts.

Work 3 rows, ending with RS facing for next row.

Shape shoulder

Cast off 9 [11: 13: 15] sts at beg of next and foll alt row.



Work 1 row.

Cast off rem 10 [12: 13: 16] sts.

With RS facing, rejoin yarns to rem sts, cast off centre 35 sts, patt to end.

Complete to match first side, reversing shapings.

MAKING UP

Press as described on the information page.

Join right shoulder seam using back stitch, or mattress stitch if preferred.

Neckband

With RS facing, using 4mm (US 6) needles and yarn A, pick up and knit 21 [21: 22: 22] sts down left side of neck, 35 sts from front, 21 [21: 22: 22] sts up right side of neck, then 55 [55: 58: 58] sts from back. 132 [132: 137: 137] sts.

Row 1 (WS): K2, *P3, K2, rep from * to end.

Row 2: P2, *K3, P2, rep from * to end.

These 2 rows form rib.

Work in rib for a further 7 rows, ending with RS facing for next row.

Cast off in rib.

Join left shoulder and neckband seam.

Armhole borders (both alike)


With RS facing, using 4mm (US 6) needles and yarn A, pick up and knit 97 [102: 107: 112] sts evenly along armhole edge between markers.

Work in rib as given for neckband for 9 rows, ending with RS facing for next row.


Cast off in rib.

See information page for finishing instructions.

Border Chart




Yoke Chart



Key

- ☐ K on RS, P on WS in A
- ☒ K on RS, P on WS in B
- ☐ K on RS, P on WS in C



sizing guide

- Our sizing now conforms to standard clothing sizes. Therefore if you buy a standard size 12 in clothing, then our size 12 or Medium patterns will fit you perfectly.
- Dimensions in the charts below are body measurements, not garment dimensions, therefore please refer to the measuring guide to help you to determine which is the best size for you to knit.

MEASURING GUIDE

For maximum comfort and to ensure the correct fit when choosing a size to knit, please follow the tips below when checking your size.

Measure yourself close to your body, over your underwear and don't pull the tape measure too tight!

Bust/chest – measure around the fullest part of the bust/chest and across the shoulder blades.

Waist – measure around the natural waistline, just above the hip bone.

Hips – measure around the fullest part of the bottom.


If you don't wish to measure yourself, note the size of a favourite jumper that you like the fit of. Our sizes are now comparable to the clothing sizes from the major high street retailers, so if your favourite jumper is a size Medium or size 12, then our casual size Medium and standard size 12 should be approximately the same fit.

To be extra sure, measure your favourite jumper and then compare these measurements with the size diagram given at the end of the individual instructions.

Finally, once you have decided which size is best for you, please ensure that you achieve the tension required for the design you wish to knit. Remember if your tension is too loose, your garment will be bigger than the pattern size and you may use more yarn. If your tension is too tight, your garment could be smaller than the pattern size and you will have yarn left over. Furthermore if your tension is incorrect, the handle of your fabric will be too stiff or floppy and will not fit properly. It really does make sense to check your tension before starting every project.

STANDARD SIZING GUIDE FOR WOMEN

UK SIZE	8	10	12	14	16	18	20	22	
USA Size	6	8	10	12	14	16	18	20	
EUR Size	34	36	38	40	42	44	46	48	
To fit bust	32	34	36	38	40	42	44	46	inches
	82	87	92	97	102	107	112	117	cm
To fit waist	24	26	28	30	32	34	36	38	inches
	61	66	71	76	81	86	91	96	cm
To fit hips	34	36	38	40	42	44	46	48	inches
	87	92	97	102	107	112	117	122	cm



CASUAL SIZING GUIDE FOR WOMEN

As there are some designs that are intended to fit more generously, we have introduced our casual sizing guide. The designs that fall into this group can be recognised by the size range: Small, Medium, Large & Xlarge. Each of these sizes cover two sizes from the standard sizing guide, ie. Size S will fit sizes 8/10, size M will fit sizes 12/14 and so on. The sizing within this chart is also based on the larger size within the range, ie. M will be based on size 14.

UK SIZE	S	M	L	XL	
DUAL SIZE	8/10	12/14	16/18	20/22	
To fit bust	32 – 34	36 – 38	40 – 42	44 – 46	inches
	82 – 87	92 – 97	102 – 107	112 – 117	cm
To fit waist	24 – 26	28 – 30	32 – 34	36 – 38	inches
	61 – 66	71 – 76	81 – 86	91 – 96	cm
To fit hips	34 – 36	38 – 40	42 – 44	46 – 48	inches
	87 – 92	97 – 102	107 – 112	117 – 122	cm

A woman with long brown hair is sitting on a white rectangular pedestal. She is wearing a brown knitted cardigan over a dark top, a necklace with colorful beads, and long lace gloves. She is also wearing black boots. She is smiling at the camera. The background is a plain, light-colored wall.

toasty

knitted using
kid classic

information & abbreviations

TENSION

Obtaining the correct tension is perhaps the single factor which can make the difference between a successful garment and a disastrous one. It controls both the shape and size of an article, so any variation, however slight, can distort the finished garment. We recommend that you knit a square in pattern and/or stocking stitch (depending on the pattern instructions) of perhaps 5 - 10 more stitches and 5 - 10 more rows than those given in the tension note. Mark out the central 10cm square with pins. If you have too many stitches to 10cm try again using thicker needles. If you have too few stitches to 10cm try again using finer needles. Once you have achieved the correct tension your garment will be knitted to the measurements indicated in the size diagram shown at the end of the pattern.

SIZING & SIZE DIAGRAM NOTE

The instructions are given for the smallest size. Where they vary, work the figures in brackets for the larger sizes. One set of figures refers to all sizes. Included with most patterns in this brochure is a 'size diagram', or sketch of the finished garment and its dimensions. The size diagram shows the finished width of the garment at the under-arm point, and it is this measurement that the knitter should choose first; a useful tip is to measure one of your own garments which is a comfortable fit. Having chosen a size based on width, look at the corresponding length for that size; if you are not happy with the total length which we recommend, adjust your own garment before beginning your armhole shaping - any adjustment after this point will mean that your sleeve will not fit into your garment easily - don't forget to take your adjustment into account if there is any side seam shaping. Finally, look at the sleeve length; the size diagram shows the finished sleeve measurement, taking into account any top-arm insertion length. Measure your body between the centre of your neck and your wrist, this measurement should correspond to half the garment width plus the sleeve length. Again, your sleeve length may be adjusted, but remember to take into consideration your sleeve increases if you do adjust the length - you must increase more frequently than the pattern states to shorten your sleeve, less frequently to lengthen it.

FINISHING INSTRUCTIONS

After working for hours knitting a garment, it seems a great pity that many garments are spoiled because such little care is taken

in the pressing and finishing process. Follow the following tips for a truly professional looking garment.

PRESSING

Block out each piece of knitting and following the instructions on the ball band press the garment pieces, omitting the ribs. Tip: Take special care to press the edges, as this will make sewing up both easier and neater. If the ball band indicates that the fabric is not to be pressed, then covering the blocked out fabric with a damp white cotton cloth and leaving it to stand will have the desired effect. Darn in all ends neatly along the selvedge edge or a colour join, as appropriate.

STITCHING

When stitching the pieces together, remember to match areas of colour and texture very carefully where they meet. Use a seam stitch such as back stitch or mattress stitch for all main knitting seams and join all ribs and neckband with mattress stitch, unless otherwise stated.

CONSTRUCTION

Having completed the pattern instructions, join left shoulder and neckband seams as detailed above. Sew the top of the sleeve to the body of the garment using the method detailed in the pattern, referring to the appropriate guide: Shallow set-in sleeves: Match decreases at beg of armhole shaping to decreases at top of sleeve. Sew sleeve head into armhole, easing in shapings. Set-in sleeves: Place centre of cast-off edge of sleeve to shoulder seam. Set in sleeve, easing sleeve head into armhole. Join side and sleeve seams.

Slip stitch pocket edgings and linings into place.

Sew on buttons to correspond with buttonholes.

Ribbed welts and neckbands and any areas of garter stitch should not be pressed.

Buttons & Beads available from:

Bedecked

1 Castle Wall

Back Fold

Hay-on-Wye


HR3 5EQ

judith.lewis@bedecked.co.uk

01497 822769



K	-	knit	cont	-	continue	tbl	-	through back of loop
P	-	purl	patt	-	pattern	RS	-	right side
st(s)	-	stitch(es)	M1	-	make one stitch by picking up horizontal loop before next stitch and knitting back of it	WS	-	wrong side
inc	-	increas(e)(ing)				yrn	-	yarn round needle
dec	-	decreas(e)(ing)	M1P	-	make one stitch by picking up horizontal loop before next stitch & purling into back of it	rev st-st	-	reverse stocking stitch (1 row P, 1 row K)
st-st	-	stocking stitch (1 row K, 1 row P)				yfwd	-	yarn forward
g st	-	garter stitch (K every row)	tog	-	together	pssd	-	pass slipped stitch over
sl1	-	slip one stitch	mm	-	millimetres	-	-	no stitches, times or rows for that size
beg	-	begin(ning)	cm	-	centimetres	yfrn	-	yarn forward and around needle
fol	-	following	in(s)	-	inch(es)	yon	-	yarn over needle
rem	-	remain(ing)	meas	-	measures			
rep	-	repeat						
alt	-	alternate						



ROWAN

s t u d i o

Features up to the minute contemporary
designs published every 3 months.



9 781906 007546

ZB77



homely

knitted using
cocoon







snug

knitted using
kid classic